

```

declarations of channels;

process Worker(w = 1 to PR) {
    double LU[1:n/PR,1:n/PR];      # my rows of LU
    int ps[1:n/PR];                # pivot row indices
    double pivot, mult, pivotRow[n];
    int myRow;
    declarations of other local variables;
    initialize ps and my rows of LU;
    # perform Gaussian elimination with partial pivoting
    for [k = 1 to n-1] {           # iterate down main diagonal
        find maximum pivot element in column k of my rows;
        exchange pivot with other workers;
        select global maximum and update ps;
        if (owner of pivot row)
            broadcast pivotRow to other workers;
        else
            receive pivotRow;
        # eliminate my rows of LU using pivot and pivotRow
        for [i = k+1 to n st (i%PR == 0)] { # for my stripe
            myRow = i/PR;                  # convert row index
            mult = LU[ps[myRow],k]/pivot;   # compute multiplier
            LU[ps[myRow],k] = mult;        # and save it
            for [j = k+1 to n]           # eliminate across columns
                LU[ps[myRow],j] = LU[ps[myRow],j] -
                    mult * pivotRow[j];
        }
    }
}

```

Figure 11.19 Outline of message-passing program for LU decomposition.

Copyright © 2000 by Addison Wesley Longman, Inc.