

```

subroutine jacobi()
declarations of common, shared, and private variables
initialize grid and new in parallel (see text)
maxdiff = 0.0           ! initialize in main thread

c start worker threads; each executes the main loop
!omp parallel
!omp& shared(n,maxiters,grid,new,maxdiff)
!omp& private(i,j,iters,tempdiff)

    do iters = 1,maxiters,2
!omp do      ! divide up the iterations of the outer loop
    do j = 2,n-1
        do i = 2,n-1
            new(i,j) = (grid(i-1,j) + grid(i+1,j) +
                           grid(i,j-1) + grid(i,j+1)) * 0.25
        enddo
    enddo
!omp end do  ! implicit barrier

!omp do      ! divide up the iterations of the outer loop
    do j = 2,n-1
        do i = 2,n-1
            grid(i,j) = (new(i-1,j) + new(i+1,j) +
                           new(i,j-1) + new(i,j+1)) * 0.25
        enddo
    enddo
!omp end do  ! implicit barrier
    enddo      ! end of main computational loop

c compute maximum difference into a reduction variable
!omp do      ! divide up the iterations of the outer loop
!omp& reduction(max: maxdiff)  ! use a reduction variable
    do j = 2,n-1
        do i = 2,n-1
            tempdiff = abs(grid(i,j)-new(i,j))
            maxdiff = max(maxdiff,tempdiff) ! atomic update
        enddo
    enddo
!omp end do  ! implicit barrier
!omp end parallel ! end of parallel section
    return
end

```

**Figure 12.4** Parallel Jacobi iteration using OpenMP.